MATERIAL SAFETY DATA SHEET

Section 1. Chemical product and company identification

Product Name: Synonym:	Super D Dry Powder Extinguishant Class D Powder
Manufacturer:	AMEREX CORPORATION
Internet Address:	www.amerex-fire.com
Address:	7595 Gadsden Highway
	P.O. Box 81
	Trussville, AL 35173-0081
Telephone:	(205) 655-3271
Emergency Contacts:	Chemtrec 1(800) 424-9300 or
	(703) 527–3887
Revised:	August, 2011

Section 2. Hazard identification and emergency overview

Emergency overview: Off-white, fine solid powder, odorless.

Adverse health effects and symptoms: Moderate irritant to the respiratory system and eyes; mild irritant to the skin. Symptoms may include stinging of eyes and abraded skin, coughing, shortness of breath, and irritation of the lungs, eyes, and skin.

Exposure guidelines:

Ingredients	OSHA PEL	ACGIH TLV	DFG MAK *
Sodium chloride	PNOC ^{**} Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³	PNOC Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³	PNOC Total dust, 4 mg/m ³ Respirable fraction, 1.5 mg/m ³
Mica	20 mppcf***	3 mg/m ³ respirable fraction	
Fullers Earth	PNOC Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³	PNOC Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³	PNOC Total dust, 4 mg/m ³ Respirable fraction, 1.5 mg/m ³
Mineralite (Zeolite)	80 mg/m ³ % SiO ₂	10 mg/m ³	4 mg/m ³
Magnesium stearate	PNOC Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³	PNOC Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³	PNOC Total dust, 4 mg/m ³ Respirable fraction, 1.5 mg/m ³

Silica, amorphous (fumed)	PNOC Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³	2 mg/m ³	0.3 mg/m ³
---------------------------	--	---------------------	-----------------------

*German regulatory limits **PNOC = Particulates not otherwise classified (ACGIH) also known as Particulates not otherwise regulated (OSHA) *** mppcf = million particles per cubic foot. All values are 8 hour time weighted average concentrations.

Hazard symbols: WHMIS (Canadian workplace hazardous materials identification system)

D2B may irritate eyes, mucous membranes, or skin

Section 3. Composition/information on ingredients

Name/Compound	Weight %	CAS #
Sodium chloride evaporated flour grade	87	7647-14-5
Fullers earth magnesium aluminum silicate-	4.2	8031-18-3
Mica potassium aluminum silicate	4.2	12001-26-2
Zeolite, synthetic amorphous precipitated silica	2.1	112926-00-8
Silica, amorphous, fumed	< 2	69012-64-2
Magnesium stearate octadecanoic acid, Mg salt	< 1	557-04-0

Section 4. First Aid Measures

Eye Exposure: Irrigate eyes with water and repeat until pain free. Seek medical attention if irritation develops or if vision changes occur.

Skin Exposure: In case of contact, wash with plenty of soap and water. Seek medical attention if irritation develops.

Inhalation: If respiratory irritation or distress occurs remove victim to fresh air. Seek medical attention if irritation develops or persists.

Ingestion: Not known to present an ingestion hazard.

Medical conditions possibly aggravated by exposure: Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema, or bronchitis. Skin contact may aggravate existing skin disease. Chronic overexposure may cause pneumoconiosis ("dusty lung" disease).

Section 5. Fire fighting measures

Extinguishing media: non combustible and non flammable – product is an extinguishing agent

Unusual fire/explosion hazards: none known

Insensitive to mechanical impact or static discharge.

HMIS Hazard Ranking: health = 1, flammability = 0, reactivity = 0, personal protective equipment: use N-95 dust mask (see Section 8)

Section 6. Accidental release measures

Clean up released material using vacuum or wet sweep and shovel to minimize generation of dust. Wear appropriate respiratory protection. Bag and drum for disposal. If product is used and/or contaminated, use PPE and containment appropriate to the nature of the mixture.

Section 7. Handling and storage

Avoid skin, eye, or respiratory exposure. Use appropriate PPE when handling or maintaining equipment, and wash thoroughly after handling (see Section 8). Keep product in original container or extinguisher. Contents may be under pressure – inspect for extinguisher rust periodically to insure container integrity. Do not mix with other extinguishing agents.

Section 8. Exposure controls/ personal protection

During the application of this product against fires, exhaust gases and the products of incomplete combustion (PICs) are the principal respiratory hazards. In the manufacture of extinguishers, automated systems and point source ventilation controls sufficiently minimize respiratory exposure. Employers and employees must use their collective judgment in determining occupational settings where the use of a dust mask or air purifying respirator is prudent. The need for respiratory protection is not likely for short-term use in well ventilated areas.

Respiratory protection: use N95 dust mask for limited exposure, use air-purifying respirator (APR) with high efficiency particulate air (HEPA) filters for prolonged exposure.

Eye protection: wear chemical goggles

Skin protection: use nitrile, latex, or similar gloves and coveralls. Good personal hygiene practices essential, such as avoiding food, tobacco products, or other hand-to-mouth contact when handling. Wash thoroughly after handling.

Section 9. Physical and chemical properties

Appearance: off-white powder, finely divided odorless solid. Specific gravity: ~ 1.0 Solubility: product is not coated, soluble in water Non –flammable Flash point: none Vapor pressure: < 1 mm Hg pH: approximately 7 for a 10% solution Boiling point: not applicable No explosive or oxidizing properties

Section 10. Stability and reactivity

Stability: stable

Incompatibles: strong acids and strong oxidizers like bleach.

Decomposition products: heat of fire may release chlorine compounds and oxides of sodium.

Possibility of hazardous reactions: none

	Section 11. Toxicological information	
Acute toxicity:	Sodium chloride LD ₅₀ (rat): oral, 3000 mg/kg body weight, LD ₅₀ (mouse): oral, 4000 mg/kg body weight, LDLo (lowest lethal dose) (rat): subcutaneous, 3500 mg/kg body weight, LDLo (dog): intraperitoneal, 364 mg/kg body weight. Target organs in man: None. While an essential nutrient, sodium chloride is a mild irritant to epithelial tissue, (eyes, mucous membranes, skin) and may aggravate dermatitis. No information was found indicating the product causes sensitization.	
Chronic toxicity:	This product's ingredients are not considered as "probable" or "suspected" carcinogens by OSHA, IARC, or ACGIH. Pneumoconiosis, or "dusty lung" disease, may result from chronic exposure to any dust.	
Reproductive toxicity:	This product's ingredients are not known to have reproductive or teratogenic effects.	
	Section 12. Ecological information	
Ecotoxicity:	negative effects unknown.	
Persistence/ Degradability:	degrades slowly in humid/wet environment	
Bioaccummulation	on: extent unknown	
Mobility in soil:	insoluble coating, poor mobility	

Section 13. Disposal considerations

This product is not a RCRA characteristically hazardous or listed hazardous waste. Dispose of according to state or local laws, which may be more restrictive than federal laws or regulations. Used product may be altered or contaminated, creating different disposal considerations.

Section 14. Transportation information

This product is not defined as a hazardous material under U.S. Department of Transportation (DOT) 49 CFR 172, or by Transport Canada "Transportation of Dangerous Goods" regulations.

When shipped in a stored pressure type fire extinguisher, and pressurized with a non-flammable, non-toxic inert expellant gas, the fire extinguisher is considered a hazardous material by the US Department of Transportation and Transport Canada. The proper shipping name shall be FIRE EXTINGUISHER and the UN designation is UN 1044. The DOT hazard class/ division is 2.2 Non-Flammable Gas. Packing Group - N/A.

Section 15. Regulatory information

International Inventory Status:

All ingredients are on the following inventories

Country(ies)	Agency	Status
United States of America	TSCA	Yes
Canada	DSL	Yes
Europe	EINECS/ELINCS	Yes
Australia	AICS	Yes
Japan	MITI	Yes
South Korea	KECL	Yes

European Risk and Safety phrases:

EU Classification:	Irritant	
R Phrases:	20	Harmful by inhalation.
	36/37	Irritating to eyes, respiratory system.

Page 6 of 8 Pages SUPER – D

S Phrases:	22	Do not breathe dust.
	24/25	Avoid contact with skin and eyes
	26	In case of contact with eyes, rinse immediately with
		plenty of water and seek medical advice.

U.S. federal regulatory information:

None of the chemicals in this product are under SARA reporting requirements or have SARA threshold planning quantities (TPQs) or CERCLA reportable quantities (RQs), or are regulated under TSCA 8(d).

State regulatory information:

Chemicals in this product are covered under specific State regulations, as denoted below:

Alaska - Designated Toxic and Hazardous Substances: None California – Permissible Exposure Limits for Chemical Contaminants: None Florida – Substance List: Mica Dust Illinois – Toxic Substance List: None Kansas – Section 302/303 List: None Massachusetts – Substance List: Mica Dust Minnesota – List of Hazardous Substances: None Missouri – Employer Information/Toxic Substance List: None New Jersey – Right to Know Hazardous Substance List: None North Dakota – List of Hazardous Chemicals, Reportable Quantities: None Pennsylvania – Hazardous Substance List: None Rhode Island – Hazardous Substance List: Mica Dust Texas – Hazardous Substance List: None West Virginia – Hazardous Substance List: None Wisconsin – Toxic and Hazardous Substances: None

California Proposition 65: No component is listed on the California Proposition 65 list.

Section 16. Shipping information

When shipped in a stored pressure type fire extinguisher, and pressurized with a non-flammable, non-toxic inert expellant gas, the fire extinguisher is considered a hazardous material by the US Department of Transportation and Transport Canada. The proper shipping name shall be FIRE EXTINGUISHER and the UN designation is UN 1044. The DOT hazard class/division is 2.2 Non-Flammable Gas. Packing Group – N/A

Section 17. Other information

This MSDS conforms to requirements under U.S., U.K., Canadian, Australian, and EU regulations or standards, and conforms to the proposed 2003 ANSI Z400.1 format.

The information herein is given in good faith but no warranty, expressed or implied, is made. Updated by Lindsay R. Hill, CIH